

1202 W. Farm Road, Suite 002 Stillwater, OK 74078 **E |** ehs@okstate.edu **O |** (405) 744-7241 **ehs.okstate.edu** 

## APPENDIX C: BLOODBORNE PATHOGENS SELF-INSPECTION OSU Bloodborne Pathogens Exposure Control Plan

Department:	Date of inspection:	
Supervisor/PI:		
Signature:		

## **GUIDELINES**

This checklist covers regulations issued by the U.S. Department of Labor, Occupational Safety and Health Administration (OSHA) under the general industry standard 29 CFR 1910.1030. It applies to work activities that may result in exposure to blood or other potentially infectious materials. Such activities might include students learning how to take blood tests or teachers who are trained in first aid and are required to render first aid in case of emergency, laboratory activities and research. This checklist does not cover acts that result in exposure to blood or other potentially infectious materials when someone voluntarily helps others in an emergency.

EXP	OSURE CONTROL PLAN	YES	NO	N/A
1.	Has a written exposure control plan been developed? [29 CFR 1910.1030(c)(1)(i), (c)(1)(ii), and (c)(2)]  Note: The exposure control plan must include: (a) a list of tasks identified as having a potential for exposure to bloodborne pathogens; (b) methods to protect students and employees; (c) dates and procedures for providing hepatitis B vaccinations; (d) procedures for post-exposure evaluation and follow up in case of exposure; (e) content and methods for training students and employees; and (f) procedures for maintaining records.			
2.	Is the written exposure control plan available on request for examination or copying? [29 CFR 1910.1030(c)(1)(iii)]			
3.	Is the written exposure control plan updated yearly? [29 CFR 1910.1030(c)(1)(iv)]			
ENG	INEERING AND WORK PRACTICE CONTROLS	YES	МО	N/A
4.	Do students and employees follow universal precautions to prevent contact with blood or other potentially infectious materials? [29 CFR 1910.1030(d)(1)]			
5.	Are engineering and work practice controls implemented before personal protective equipment is used? [29 CFR 1910.1030(d)(2)(i)]			
6.	Are engineering controls examined and maintained on a regular schedule to ensure their effectiveness? [29 CFR 1910.1030(d)(2)(ii)]			
7.	Are handwashing facilities readily accessible? [29 CFR 1910.1030(d)(2)(iii),(iv)]  Note: If providing handwashing facilities is not possible, an appropriate antiseptic hand cleanser and clean cloth, paper towels, or antiseptic towelettes may be substituted. When antiseptic hand cleansers or towelettes are used, wash hands with soap and running water as soon as possible.			

8.	Do students and employees wash their hands immediately after removing gloves or			
	other personal protective equipment? [29 CFR 1910.1030(d)(2)(v)]			
9.	Do students and employees wash or flush hands or other skin areas with soap and			
	water after contact with blood or other potentially infectious materials? [29 CFR			
	1910.1030(d)(2)(vi)]			
10.	Is it prohibited to bend, recap, or remove contaminated needles or sharps except as			
	noted below? [29 CFR 1910.1030(d)(2)(vii)]			
	Note: NIOSH recommends avoiding needle recapping.			
	Note: When no feasible alternatives are available, OSHA permits recapping or needle			
	removal only through the use of a mechanical device or a one-handed technique.			
	Such procedures could involve the one-handed "scoop" technique: using the needle			
	itself to pick up the cap, and pushing cap and sharp together against a hard surface			
	to ensure a tight fit. Or, the sharp might also be recapped by holding the cap with			
11.	tongs or forceps to place it on the needle.  Can it be assured that the shearing and breaking of contaminated needles does not			
""	occur? [29 CFR 1910.1030(d)(2)(vii)]			
12.	Is it prohibited to eat, drink, smoke, apply cosmetics, and handle contact lenses in			
	work areas where the potential exists for exposure to bloodborne pathogens? [29			
	CFR 1910.1030(d)(2)(ix)]			
13.	Are food and drink prohibited in refrigerators, freezers, shelves, cabinets, or on			
	countertops or benchtops where blood or other potentially infectious materials are			
	present? [29 CFR 1910.1030(d)(2)(x)]			
14.	Are tasks involving blood or other potentially infectious materials performed in a			
	way that minimizes splashing and generating droplets of these substances? [29 CFR			
	1910.1030(d)(2)(xi)]			
15.	Is mouth pipetting and suctioning of blood or other potentially infectious agents prohibited? [29 CFR 1910.1030(d)(2)(xii)]			
16.	Are specimens of blood or other potentially infectious materials placed in an			
	appropriate container that prevents leakage during collection, handling, processing,			
	storage, or transport? [29 CFR 1910.1030(d)(2)(xiii)]			
PER:	SONAL PROTECTIVE EQUIPMENT	YES	NO	N/A
17.	Is personal protective equipment such as gloves, gowns, laboratory coats, face			
	shields or masks, and eye protection provided free to persons potentially exposed to			
	bloodborne pathogens? [29 CFR 1910.1030(d)(3)(i)]			
18.	Is personal protective equipment of appropriate sizes readily accessible or issued to			
10	all students and employees? [29 CFR 1910.1030(d)(3)(iii)]			
19.	Are hypoallergenic gloves, glove liners, powderless gloves, or other similar alternatives readily accessible to those who are allergic to the gloves normally			
	provided? [29 CFR 1910.1030(d)(3)(iii)]			
20.	Is personal protective equipment repaired or replaced to maintain its effectiveness?			
20.	[29 CFR 1910.1030(d)(3)(v)]			
21.	Do students and employees immediately remove garments that have been			
	penetrated by blood or other potentially infectious materials? [29 CFR			
	1910.1030(d)(3)(vi)]			
22.	Do students and employees remove all personal protective equipment before			
	leaving the work area? [29 CFR 1910.1030(d)(3)(vii)]			
23.	Do students and employees use an appropriately designated area or container for			
	storage, washing, decontamination, or disposal of personal protective equipment?			
	[29 CFR 1910.1030(d)(3)(viii)]			

24.	Do students and employees wear gloves whenever the possibility exists of hand			
	contact with blood or other potentially infectious materials? [29 CFR 1910.1030(d)(3)(ix)]			
	Note: This includes touching contaminated items or surfaces and persons receiving			
	phlebotomy training.			
25.	Are disposable (single-use) gloves replaced as soon as they are contaminated, torn,			
	punctured or cannot function as a barrier? [29 CFR 1910.1030(d)(3)(ix)(A)]			
26.	Is it prohibited to re-use disposable (single-use) gloves? [29 CFR			
	1910.1030(d)(3)(ix)(B)]			
27.	Are utility gloves decontaminated and re-used only if the integrity of the glove is not			
20	compromised? [29 CFR 1910.1030(d)(3)(ix)(C)]			
28.	Do students and employees wear masks and eye protection devices (such as goggles or glasses with solid side shields or chin-length face shields) whenever			
	splashes or droplets of blood or other potentially infectious materials may be			
	generated and eye, nose, or mouth contamination can be reasonably anticipated?			
	[29 CFR 1910.1030(d)(3)(x)]			
29.	Are gowns, aprons, lab coats, clinic jackets, or similar outer garments worn			
	whenever exposure to blood or other potentially infectious materials is anticipated?			
	[29 CFR 1910.1030(d)(3)(xi)]			
	SEKEEPING, STORAGE AND SHARPS DISPOSAL	YES	NO	N/A
30.	Is there a written method of decontamination and schedule for cleaning of all areas			
	and surfaces that may become contaminated with blood or other potentially			
71	infectious materials? [29 CFR 1910.1030(d)(4)(i)]			
31.	Are all equipment and working surfaces cleaned and decontaminated immediately,			
	or as soon as feasible, after contact with blood or other potentially infectious materials? [29 CFR 1910.1030(d)(4)(ii)]			
32.	Are protective covers used to cover equipment and surfaces removed and replaced			
J2.	as soon as feasible when they become overtly contaminated? [29 CFR			
	1910.1030(d)(4)(ii)(B)]			
	Note: Examples of protective coverings include: plastic wrap, aluminum foil, or			
	absorbent paper backed with impervious material.			
<b>33.</b>	Are all reusable receptacles such as bins, pails and cans that are likely to become			
	contaminated with blood or other potentially infectious materials inspected and			
	decontaminated on a regular schedule? [29 CFR 1910.1030(d)(4)(ii)(C)]			
34.	Are all reusable receptacles such as bins, pails and cans that are likely to become			
	contaminated with blood or other potentially infectious materials cleaned and			
	decontaminated immediately, or as soon as feasible, upon visible contamination? [29 CFR 1910.1030(d)(4)(ii)(C)]			
35.	Is picking up broken contaminated glassware with your hands prohibited? [29 CFR			
	1910.1030(d)(4)(ii)(D)]			
<b>36.</b>	Is broken contaminated glassware always cleaned up with mechanical means such			
	as a brush and dust pan, tongs, or forceps? [29 CFR 1910.1030(d)(4)(ii)(D)]			
<b>37.</b>	Are contaminated sharps discarded immediately or as soon as feasible into			
70	containers? [29 CFR 1910.1030(d)(4)(iii)(A)(1)]			
38.	Are containers used for sharps disposal closable, puncture resistant, leakproof on sides and bettern, and labeled with a highest range label or selected red2 [20]			
	sides and bottom, and labeled with a biohazard warning label or colored red? [29 CFR 1910.1030(d)(4)(iii)(A)(1)]			
39.	Are containers used for sharps disposal easily accessible and located in the area			
	where sharps are used or can be reasonably anticipated to be found? [29 CFR			
	1910.1030(d)(4)(iii)(A)(2)]			
40.	Are containers used for sharps disposal maintained upright throughout use? [29 CFR			
	1910.1030(d)(4)(iii)(A)(2)(i)]			

41.	Are containers used for sharps disposal replaced routinely and not allowed to			
41.	overfill? [29 CFR 1910.1030(d)(4)(iii)(A)(2)(ii)]			
42.	Are sharps containers closed immediately prior to removal or replacement to			
	prevent spillage or protrusion of contents during handling, storage, transport, or			
	shipping? [29 CFR 1910.1030(d)(4)(iii)(A)(3)(i)]			
43.	Are sharps containers placed in an appropriate secondary container if leakage is			
	possible? [29 CFR 1910.1030(d)(4)(iii)(A)(3)(ii)]			
44.	Are reusable sharps that are contaminated with blood or other potentially infectious			
	materials not stored or processed in a manner that requires a person to reach by			
	hand into the containers where these sharps have been placed? [29 CFR			
	1910.1030(d)(4)(ii)(E)]			
45.	Are reusable containers not opened, emptied, or cleaned manually or in any other			
	manner which might expose a person to the risk of skin puncture? [29 CFR			
	1910.1030(d)(4)(iii)(A)(4)]			
46.	Is regulated waste, other than sharps, placed into containers which are:			
	a) closable;			
	b) constructed to contain all contents and prevent leakage of fluid during handling,			
	storage, transport or shipping;			
	c) labeled with a biohazard warning label or colored red; and			
	d) closed prior to removal to prevent spillage or protrusion of contents during			
	handling, storage, transport, or shipping? [29 CFR 1910.1030(d)(4)(iii)(B)(1)]			
47.	Are containers of regulated waste, other than sharps, that have become			
	contaminated on the outside placed into appropriate secondary containers as			
	defined in (17) above? [29 CFR 1910.1030(d)(4)(iii)(B)(2)]			
48.	Is contaminated laundry handled as little as possible with a minimum of agitation or			
	movement? [29 CFR 1910.1030(d)(4)(iv)(A)]			
49.	Is contaminated laundry bagged or put into other containers at the location it is			
	used? [29 CFR 1910.1030(d)(4)(iv)(A)(1)]			
50.	Is contaminated laundry placed and transported in bags or containers labeled with			
F1	the biohazard symbol or colored red? [29 CFR 1910.1030(d)(4)(iv)(A)(2)]			
51.	Is wet contaminated laundry placed and transported in bags or containers that will			
	prevent soak-through and/or leakage of fluids to the exterior? [29 CFR			
52.	1910.1030(d)(4)(iv)(A)(3)]  Do persons who handle contaminated laundry wear protective gloves and other			
32.	appropriate personal protective equipment? [29 CFR 1910.1030(d)(4)(iv)(B)]			
53.	Are garments which have been penetrated by blood or other potentially infectious			
<i>J</i> J.	materials removed immediately or as soon as possible by the user? [29 CFR			
	1910.1030(d)(3)(vi)]			
54.	Are containers of regulated waste labeled with a biohazard warning label? [29 CFR			
	1910.1030(g)(1)(i)]			
	Note: Red bags or red containers may be substituted for a biohazard warning label.			
	Containers include refrigerators and freezers containing blood or other potentially			
	infectious materials, and other containers used to store, transport or ship blood or			
	other potentially infectious materials.			
VAC	CINATION PAPERWORK, TRAINING AND RECORDKEEPING	YES	NO	N/A
55.	Is the hepatitis B vaccination series made available to all persons who are reasonably			
	anticipated to come in contact with blood or other potentially infectious materials			
	through the performance of their job duties? [29 CFR 1910.1030(f)(1)]			
56.	Is the hepatitis B vaccination series made available to persons who have received			
	the required bloodborne pathogen training? [29 CFR 1910.1030(f)(2)]			

57.	Within 10 days of initial assignment, is the hepatitis B vaccination series made		
	available to persons whose job is reasonably anticipated to have contact with blood		
	or other potentially infectious materials? [29 CFR 1910.1030(f)(2)(i)]		
58.	57. Have persons who refused to take the hepatitis B vaccination series signed a		
	statement to that effect following the form prescribed by the OSHA standard? [29		
	CFR 1910.1030(f)(2)(iv)]		
59.	Is a confidential medical evaluation and follow-up made available to an exposed		
	person following a report of an exposure incident? [29 CFR 1910.1030(f)(3) and (5)]		
	Note: The medical evaluation and follow-up must include documentation of the		
	route(s) of exposure and the circumstances under which the exposure incident		
	occurred; identification and documentation of the source individual unless		
	identification is infeasible or prohibited by state law; the HBV or HIV infectivity of		
	the source individual if it can be legally determined; collection and testing of blood		
	from the exposed individual for HBV and HIV serological status provided consent is		
	given; post-exposure prophylaxis when medically indicated; counseling; evaluation		
	of reported illnesses; and a written opinion from a healthcare professional.	<del>                                     </del>	
60.	Are individuals who are reasonably anticipated to have contact with blood or other		
	potentially infectious materials in the course of their work or student activities		
	provided training on bloodborne pathogens? [29 CFR 1910.1030(g)(2)]		
	Note: The training must include an accessible copy of the OSHA standard; a general		
	explanation of the epidemiology and symptoms of bloodborne diseases; an explanation of the modes of transmission of bloodborne pathogens; an explanation		
	of the exposure control plan and how to obtain a copy; an explanation of how to		
	recognize tasks and other activities that may involve exposure to blood and other		
	potentially infectious materials; an explanation of engineering controls, work		
	practice controls and personal protective equipment; information on hepatitis B		
	vaccine; emergency information and procedures; information on the post-exposure		
	evaluation and follow-up; information on labels and color coding; and an opportunity		
	for interactive questions and answers.		
61.	Is bloodborne pathogen training provided before or at the time of initial assignment		
	where contact with blood or other potentially infectious materials is possible? [29		
	CFR 1910.1030(g)(2)(ii)(A)]		
62.	Is bloodborne pathogen refresher training provided at least annually? [29 CFR		
	1910.1030(g)(2)(ii)(C)]		
63.	Is additional bloodborne pathogen training provided when changes are instituted		
	that might affect exposure such as modification of tasks or procedures or adoption		
	of new tasks or procedures? [29 CFR 1910.1030(g)(2)(v)]		
64.	Is the bloodborne pathogen training material appropriate in content and vocabulary		
	to the educational level, literacy, and language of people to be trained? [29 CFR		
	1910.1030(g)(2)(vi)]		
65.	Is the person(s) who conducts the bloodborne pathogen training knowledgeable in		
	the subject matter? [29 CFR 1910.1030(g)(2)(viii)]	<del>                                     </del>	
66.	Are accurate medical records maintained regarding hepatitis B vaccinations,		
	examinations, medical testing, follow-up procedures, and copies of written opinions		
	given in response to exposure incidents? [29 CFR 1910.1030(h)(1)]		
67	Note: These records are confidential.	<del>                                     </del>	
67.	Are records maintained of training that shows the dates of the training sessions, the		
	contents of the training session, the names and qualifications of person conducting		
	the training, and the names of the persons attending the training sessions? [29 CFR		
	1910.1030(h)(2)(i)]		