

**OKLAHOMA STATE UNIVERSITY
ENVIRONMENTAL HEALTH & SAFETY
CONFINED SPACE ENTRY PERMIT**

Permit Number _____ Date _____

<u>Location & Description of Confined Space:</u>	<u>Purpose of Entry:</u>

Scheduled Start _____ a.m. _____ p.m. Day / Date / Time	Scheduled Finish _____ a.m. _____ p.m. Day / Date / Time
---	--

{Check those items below which are applicable to your confined space permit.}

TYPES OF HAZARDS

- | | | |
|--|---|---|
| <input type="checkbox"/> Oxygen-Deficient Atmosphere | <input type="checkbox"/> Engulfment | <input type="checkbox"/> Energized Electrical Equipment |
| <input type="checkbox"/> Oxygen-Enriched Atmosphere | <input type="checkbox"/> Entrapment | <input type="checkbox"/> No Fixed Ladder |
| <input type="checkbox"/> Welding/Cutting | <input type="checkbox"/> Flammable Atmosphere | <input type="checkbox"/> Poor Lighting |
| <input type="checkbox"/> Toxic Atmosphere | <input type="checkbox"/> Hazardous Chemical | <input type="checkbox"/> Poor Footing |

Note: If welding/cutting operations are to be performed, attach Hot Work Permit.

SAFETY PRECAUTIONS

- | | | |
|---|--|---|
| <input type="checkbox"/> Atmospheric testing (periodic or continuous) | <input type="checkbox"/> Protective Gloves (type in remarks) | <input type="checkbox"/> Surveillance (visual / verbal / radio) |
| <input type="checkbox"/> Safety hoist | <input type="checkbox"/> Barricade Job Area | <input type="checkbox"/> Signs Posted |
| <input type="checkbox"/> SCBA | <input type="checkbox"/> Safety Harness / Lifelines | <input type="checkbox"/> Clearances Secured |
| <input type="checkbox"/> Air-Line Respirator | <input type="checkbox"/> Respirators (type in remarks) | <input type="checkbox"/> Lighting |
| <input type="checkbox"/> Fire-Retardant Clothing | <input type="checkbox"/> Lockout/Tagout | <input type="checkbox"/> Ground Fault Interrupter |
| <input type="checkbox"/> Ventilation (prior or continuously) | <input type="checkbox"/> Fire Extinguishers | <input type="checkbox"/> PPE other (type in remarks) |

Remarks:

Scope of work for entry:		
Hot work authorized:	YES	NO
Authorized Entrants:		
Authorized Attendants:		
Can Entrants and Attendants alternate positions:	YES	NO
Pre-Entry Authorization:		

VERIFICATION RECORD

Minimum conditions for entry verified? Yes No

Oxygen	Between 19.5%-23.5%	Flammable dusts	Visibility > 5 ft.
Flammable gases	< 10% of LEL	Engulfment hazards	None present
Hydrogen sulfide (H2S)	< 10 ppm	Hazardous flows	Secured and locked/tagged out
Carbon monoxide (CO)	< 35 ppm	Hazardous energies	Secured and locked/tagged out
Other toxic substances	< PEL for substance	External hazards	Controlled

